EAST Search History

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|-------|--|---|---------------------|---------|---------------------|
| L1 | 12 | ("20020174307" "20030177239" "20030229690" "20040044744" "20040111391" "6363067").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L2 | 5 | JP 2001-265655 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L3 | 12 | JP 10-333839 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L4 | 18950 | frame same ("log in" or access\$4 or authenticat\$4) same (identif\$7 or ((MAC or IP) address)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L5 | 32134 | 709/217-226.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L6 | 4061 | 711/114,152.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L7 | 8577 | 726/2-7,26-30.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |

| L8 | 11974 | 707/1,2,9.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
|-----|-------|--|---|-----|----|---------------------|
| L9 | 54908 | L5 L6 L7 L8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/02 07:13 |
| L10 | 1013 | L4 and L9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L11 | 42061 | (frame or packet) same ("log in" or access\$4 or authenticat \$4) same (identif\$7 or ((MAC or IP) address)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L12 | 3257 | iSCSI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L13 | 3789 | L9 and L11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L14 | 111 | L12 and L13 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L15 | 2 | "7089293".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |

| L16 | 1 | 10/765289 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
|-----|-------|--|---|-----|----|---------------------|
| L17 | 13460 | SNMP | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L18 | 274 | iSCSI and SNMP | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L19 | 57 | L11 and L18 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L20 | 406 | ((authenticat\$4 or aceess\$4 or "log in" or grant\$4) with challenge) same ((more or additional or extra or second) near3 (information or data or certificate or password)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L21 | 88 | L9 and L20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L22 | 1796 | (challenge near2 response) and (data storage or resource (allocation or management)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L23 | 63 | L20 and L22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |

| L24 | 10 | 2004/0044744 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
|-----|-----|---|---|-----|----|---------------------|
| L25 | 13 | Grosner.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L26 | 1 | iSCSI text mode negotiation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L27 | 9 | SCSI mediation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L28 | 271 | SCSI same MAC | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L29 | 90 | SCSI same MAC address | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L30 | 0 | (frame or packet) same ("log in" or access\$4 or authenticat \$4) same (identif\$7 or ((MAC or IP) address)) and "20070405".PD. and "20070405.PTPD" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |

| L31 | | ((authenticat\$4 or aceess\$4 or "log in" or grant\$4) with challenge) same ((more or additional or extra or second) near3 (information or data or certificate or password)) and "20070405".PD. and "20070405.PTPD" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
|-----|-------|---|---|-----|----|---------------------|
| L32 | .OO | ((authenticat\$4 or aceess\$4 or "log in" or grant\$4) with challenge) same ((more or additional or extra or second) near3 (information or data or certificate or password)) and "20070405".PD. and "20070405.PTPD" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L33 | 32134 | 709/217-226.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L34 | 4061 | 711/114,152.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L35 | 8577 | 726/2-7,26-30.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L36 | 11974 | 707/1,2,9.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L37 | 0 | iSCSI and SNMP and "20070405".PD. and "20070405.PTPD" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |

| L38 | 1 | 10/765289 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
|-----|-----|--|---|-----|----|---------------------|
| L39 | 21 | iSCSI login request | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L40 | 21 | iSCSI (login or access) request | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L41 | 68 | Zeidner.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L42 | 72 | (initiator or internet or target) same SCSI same IP same (MAC or SNMP or MIB) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L43 | 136 | IP same MAC same (ARP or AMT or access management or table or list) same MIB | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L44 | 74 | IP same MAC same (ARP or AMT or access management or table or list) same MIB same SNMP | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| L45 | 1 | iSCSI text mode negotiation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |

| L46 | 0 | SCSI text mode negotiation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
|------------|-------|--|---|-----|----|---------------------|
| L47 | 1 | text mode negotiation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/02 07:13 |
| S1 | 12 | ("20020174307" "20030177239" "20030229690" "20040044744" "20040111391" "6363067").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 14:57 |
| S2 | 4 | JP 2001-265655 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/03/30 11:10 |
| S3 | 6 | JP 10-333839 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/03/30 11:10 |
| S4 | 15256 | frame same ("log in" or access\$4 or authenticat\$4) same (identif\$7 or ((MAC or IP) address)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 15:07 |
| S 5 | 25039 | 709/217-226.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 15:01 |
| S6 | 3295 | 711/114,152.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 15:01 |

| S8 | 5802 | 726/2-7,26-30.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 15:06 |
|-----|-------|--|---|-----|----|---------------------|
| S9 | 9684 | 707/1,2,9.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 15:04 |
| S10 | 42404 | S5 S6 S8 S9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/26 15:09 |
| S11 | 790 | S4 and S10 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 15:07 |
| S12 | 32498 | (frame or packet) same ("log in" or access\$4 or authenticat \$4) same (identif\$7 or ((MAC or IP) address)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/26 15:04 |
| S13 | 2071 | iSCSI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 15:09 |
| S14 | 2900 | S10 and S12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 15:09 |
| S15 | 75 | S13 and S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 15:39 |

| S16 | 2 | "7089293".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 16:09 |
|-----|-------|--|---|-----|----|---------------------|
| S17 | 1 | 10/765289 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 16:09 |
| S18 | 10461 | SNMP | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 17:23 |
| S19 | 201 | iSCSI and SNMP | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/26 15:10 |
| S20 | 43 | S12 and S19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 18:20 |
| S21 | 289 | ((authenticat\$4 or aceess\$4 or "log in" or grant\$4) with challenge) same ((more or additional or extra or second) near3 (information or data or certificate or password)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/26 15:08 |
| S22 | 59 | S10 and S21 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 18:53 |
| S23 | 1304 | (challenge near2 response) and (data storage or resource (allocation or management)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 18:54 |

| S24 | 41 | S21 and S23 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/04 18:54 |
|-----|-----|---|---|-----|----|---------------------|
| S25 | 6 | 2004/0044744 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/05 10:30 |
| S26 | 13 | Grosner.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/05 10:31 |
| S28 | 1 | iSCSI text mode negotiation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/05 11:54 |
| S31 | 8 | SCSI mediation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/05 11:54 |
| S33 | 212 | SCSI same MAC | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/05 11:55 |
| S34 | 69 | SCSI same MAC address | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/04/05 11:55 |
| S35 | 0 | (frame or packet) same ("log in" or access\$4 or authenticat \$4) same (identif\$7 or ((MAC or IP) address)) and "20070405".PD. and "20070405.PTPD" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/26 15:07 |

| S36 | .O | ((authenticat\$4 or aceess\$4 or "log in" or grant\$4) with challenge) same ((more or additional or extra or second) near3 (information or data or certificate or password)) and "20070405".PD. and "20070405.PTPD" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/26 15:09 |
|-------------|-------|---|---|-----|----|---------------------|
| S37 | 0 | ((authenticat\$4 or aceess\$4 or "log in" or grant\$4) with challenge) same ((more or additional or extra or second) near3 (information or data or certificate or password)) and "20070405".PD. and "20070405.PTPD" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/26 15:09 |
| S38 | 26719 | 709/217-226.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/26 15:09 |
| S 39 | 3448 | 711/114,152.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/26 15:09 |
| S40 | 6347 | 726/2-7,26-30.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/26 15:09 |
| S41 | 10196 | 707/1,2,9.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/26 15:09 |
| S42 | 0 | iSCSI and SNMP and "20070405".PD. and "20070405.PTPD" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/07/26 15:10 |

| S43 | 1 | 10/765289 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/03/05 17:09 |
|-----|-----|--|---|-----|----|---------------------|
| S44 | 18 | iSCSI login request | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/03/12 13:12 |
| S45 | 18 | iSCSI (login or access) request | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/03/12 13:13 |
| S46 | 64 | Zeidner.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/03/12 14:40 |
| S47 | 62 | (initiator or internet or target) same SCSI same IP same (MAC or SNMP or MIB) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/03/12 14:51 |
| S48 | 131 | IP same MAC same (ARP or AMT or access management or table or list) same MIB | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/03/12 17:39 |
| S49 | 72 | IP same MAC same (ARP or AMT or access management or table or list) same MIB same SNMP | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/03/12 17:40 |
| S50 | 1 | iSCSI text mode negotiation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/03/12 18:17 |

| S51 | 0 | SCSI text mode negotiation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/03/12 18:18 |
|-----|---|----------------------------|---|-----|----|---------------------|
| S52 | 1 | text mode negotiation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/03/12 18:18 |

9/2/2008 7:24:04 AM

C:\ Documents and Settings\ rmoran\ My Documents\ EAST\ Workspaces\ 10765289.wsp